



Pattern Digest 2023-2024

*Passenger Car, SUV/4x4,
and Light Truck Tires*



www.giti.com

A Singapore Based Global Tire Company

Giti Tire has been in the tire business for more than 70 years. The company has become one of the world's largest tire manufacturers, serving customers in more than 130 countries.

Table Of Contents

Introduction

— A Global Tire Company	3
— A Strong Presence All Around the World	4
— advanztech	6
— Giti OEM	8

Product Range

— Tire Mapping	10
— Giti Motorsports Tires	12
— Giti Control	14
— Giti Comfort	20
— Giti 4X4	26
— Giti Van	30
— Giti RunFlat	34
— Tire Knowledge	36
— OEM Partners	38
— OEM Partnerships & Awards	39



5

R&D and Testing Centers

4 R&D in Germany, USA, China, Indonesia, and 1 testing center in Indonesia



5

Manufacturing Plants

3 in China, 1 in Indonesia
1 in the US



10

Offices

Singapore, Indonesia, Malaysia, China, U.S., Canada, U.K., Germany, France and Dubai



More than

30,000

Employees
Worldwide




More than

70,000

Points of Sale
In more than 130 countries



A Strong Presence All Around the World



As a Singapore based global tire company, one of Giti Tire's strengths is its international reach encompassing distribution, facilities, OEM fitments, and brand-driven motorsports.

This begins from Giti's 10 offices, five manufacturing plants in three countries, and tire sales in more than 130 countries around the world, and continues with Giti's highly diverse team-members, partners, and activities globally.

Just having a number of global offices is not enough. True international-connectivity is to have all aspects of the company working together, to best execute strategy, production, and sales on both global and local levels.



International Accreditations





Quiet and Comfort

Some noise is inevitable while driving. However Giti Tire's pattern noise simulation system optimizes the design of its tires to quiet down the noise from the tire and road interaction. This technology eliminates annoying tire vibrations by combining testing, modal and transmissibility analysis, and structural analysis, improving overall ride comfort.



Green and Energy Efficient

Giti's low rolling resistance green and eco-friendly technologies reduce energy consumption, thus saving fuel, and protecting the environment. The low rolling resistance compound reduces friction between rubber molecules, which lowers energy consumption. This means less heat generation, less fuel, and better protection for the environment.



Safety Without Worry

Giti Tire participates in leading global motorsports events and applies the technology and experience to everyday tires. Safety performance is the core value of Giti tires. Through in-depth research on tire compound, pattern, and structure, Giti develops and applies safety-focused technologies that ensure strong grip and stability in all road conditions and applications.



Quality and Endurance

Tire endurance and wear performance determine tire mileage and application life. Specially formulated compounds from Giti improve the strength of rubber and enhance wear resistance of the tire. Giti also optimizes tire structure and pattern design to distribute tire footprint friction energy evenly, thus extending tire wear mileage.



Precise Control

The contact area between the tire and road provides the forces for a vehicle's drive impacting control performance. Through simulation and test technology, Giti optimizes its tire structure - fine - tuning tire stiffness, improving grip, and optimizing handling response. Giti Tire improves the dry/wet grip performance of its tires through optimization of compound and pattern design.



Smart and Innovative

Giti is actively engaged in the next generation innovative tire technologies. The latest smart tire technologies help reveal hidden safety hazards opening new frontiers for improved safety and performance.



advanztech

Giti utilizes state of the art equipment and high technologies to bring to reality forward-thinking innovative ideas. The centers operate as one globally integrated R&D system with a shared technical knowledge management platform - AdvanZtech. There are a range of components that make up AdvanZtech, creating an all - encompassing platform that considers driver needs from six key perspectives.



Discover More:
www.giti.com/en-us/product-services/advanztech



Top Auto Manufacturers Trust Giti

By providing consistently high-quality products and cultivating strong relationships throughout the years, Giti has earned the trust of vehicle manufacturers around the world.



Most of the well-known Electric Vehicle Manufacturers are equipped with Giti Tire

Electric mobility is experiencing a global breakthrough. With a longstanding commitment and history of environmental protection, Singapore-based Giti Tires proudly announces its Original-Equipment (OEM) tire supply partnerships with multiple automotive companies worldwide, featuring new products especially designed for electric vehicles.




Specially Designed for Electric Vehicle



Specially Designed for Electric Vehicle


PCR Mapping

Rim Size:



SUV & 4x4 Mapping

Rim Size:



Giti Motorsports Tires:

Challenging the Toughest Terrains, Conditions, and Competitions Around the World.



MAXIMUM ENDURANCE OVER 24 HOURS

Giti is participating in the 24 Hours Nürburgring for the third consecutive year, with four cars that includes an all-female VW racing team



POWER UP TOMORROW'S RACING LEADERS

The Formula 3 Asian Championship series brings together top young drivers from around the world, competing throughout Asia and the Middle East



DRIVING BIG PERFORMANCE IN SMALL CARS

Giti is the official supplier of the VW Fun Cup in the UK



HIGHLY SPIRITED FOR SPORTS CAR DRIVER CLUB

Tires with superb handling and braking performance designed for sporty drivers



NO ROADS? NO PROBLEM!

Giti's offroad tires were put to the test in the Borneo Safari race in Malaysia



TAKING ON THE SANDY DUNES AND OTHER OBSTACLES

Sand and other rugged conditions are handled with these desert-focused tires



Giti Sport GTR3

100% STREET LEGAL

Motorsport Expert

German Engineering



The semislick in street legal, sports aligned and optimized for dry conditions. It's enhanced performance results in speeds of more than 300 km/h.

Rim size: 17 - 20"

Aspect Ratio: 30 - 45

Max. speed: 270-300km/h

- MOTORSPORT-DERIVED COMPOUND**
Ensures Maximum Grip on Dry Roads/Trackst
- SOLID OUTER SHOULDERS**
High Lateral Stiffness Offers Exceptional Grip and Precise Handling During Cornering

- SPECIAL BEAD DESIGN**
Secure Tire-to-Rim Fit, Enhancing Vehicle Acceleration, Braking, and High-Speed Stability
- SUPERB TIRE-ROAD CONTACT**
Optimized Pressure Distribution for Enhanced Steering Precision
- STRENGTHENED CASING STRUCTURE**
Ensures High-Speed Stability




	Size	Speed Rating	Load Index		Size	Speed Rating	Load Index		Size	Speed Rating	Load Index
17	225/45ZR17	W	94	19	245/35ZR19	Y	93	20	305/30ZR20	(Y)	103
18	225/40ZR18	W	92		265/35ZR19	(Y)	98		245/35ZR20	(Y)	95
	255/35ZR18	W	94		305/30ZR19	(Y)	102		265/35ZR20	(Y)	95
	265/35ZR18	W	97		325/30ZR19	(Y)	101				
19	235/35ZR19	Y	91		295/30ZR20	(Y)	101				





GitiSport^{S2} German Engineering

Enjoy top-level performance without compromise! The German-engineered GitiSport S2 is designed to take premium vehicles to the next level, merging the finest control with wet-driving and braking strengths.

- Rim size:**  16-22"
- Aspect Ratio:**  35-55
- Max. speed:**  270 - 300 km/h



	Size	Speed Rating	Load Index		Size	Speed Rating	Load Index	
16	195/45R16	V	84	19	245/45R19	Y	102	
	205/45R16	W	87		*255/50R19	Y	107	
	215/45R16	V	90		*255/55R19	Y	111	
17	215/40R17	Y	87		275/40R19	Y	105	
	205/40R17	Y	84		255/35R19	Y	96	
	225/45R17	Y	94		255/40R19	Y	100	
	215/45R17	Y	91		285/40R19	Y	107	
	205/45R17	W	88		275/35R19	Y	100	
	235/45R17	Y	97		255/45R19	Y	104	
	245/45R17	W	99		275/30R19	Y	96	
18	185/45R17	H	78	20	*275/40R20	Y	106	
	235/45R18	Y	98		*255/45R20	W	105	
	225/40R18	Y	92			245/35R20	Y	95
	225/45R18	Y	95			*245/45R20	Y	103
	245/45R18	Y	100			*265/45R20	Y	104
	255/45R18	Y	103			*275/45R20	Y	110
	235/40R18	Y	95			255/35R20	Y	97
	255/35R18	Y	94			*285/40R20	Y	108
	*255/55R18	Y	109			*255/50R20	Y	109
	245/40R18	Y	97			275/30R20	Y	97
19	265/35R18	Y	97		*265/50R20	W	111	
	255/40R18	Y	99	21	*295/35R21	Y	107	
	275/40R18	Y	103			285/30R21	Y	100
	235/35R19	Y	91			275/35R21	Y	103
	245/35R19	Y	93			*265/40R21	Y	105
	*235/55R19	W	105			*275/40R21	Y	107
	235/40R19	Y	96			255/35R21	Y	98
225/35R19	Y	88			*255/40R21	Y	102	
22	225/40R19	Y	93		*285/35R22	W	106	
	225/45R19	Y	96		*315/30R22	Y	107	
	245/40R19	Y	98		*275/35R22	Y	104	

* for SUV sizes

SMOOTH DRIVING

- Optimized pattern block geometry & sequence for low noise and smooth riding
- Strong center section for high speed stability and dry braking




ENHANCED GRIP

- Micro sipes provide suction effect for enhanced grip
- Balanced, stiff shoulders for precise steering and immediate response



WET DRIVING STRENGTHS


- 3 Wide grooves and an additional groove on the outer section for exceptional water drainage
- Innovative new tread compound for extremely short braking distances - Wet Label A
- 14% improved aquaplaning resistance from previous generation




GitiControl P10

A high performance tire, the GitiControl P10 provides comfort and silent driving - bringing you and your family a safe and fun ride.

- Rim size:**  17 - 21"
- Aspect Ratio:**  35 - 60
- Max. speed:**  300km/h

 **EQUAL FORCE CASING DESIGN**
Improves overall handling, lowers irregular wear, and increases tire life.


 **advanztech**
Giti Noise-Reduction Technology
Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.



	Size	Speed Rating	Load Index		Size	Speed Rating	Load Index		
17	235/55R17	V	99	20	215/45R20	V	95		
	225/50R17	W	94		235/45R20	V	100		
	225/55R17	W	97		235/50R20	V/W	104		
	235/45R17	W	94		235/55R20	W	102		
18	215/45R18	W	93		245/45R20	V/W	103		
	225/45R18	W	95		245/50R20	V	102		
	225/50R18	V	95/99		255/40R20	Y	101		
	225/55R18	H	102		255/45R20	W	101		
	225/55R18	V	98		255/50R20	V	109		
	235/40R18	W	95		255/55R20	W	110		
	235/45R18	Y	98		265/45R20	V	108		
	235/50R18	V	101		265/45R20	W	104		
	235/55R18	V	100		275/45R20	W	110		
		235/60R18	V	103		275/50R20	W	109	
19	245/40R18	Y	93	21	235/45R21	V	101		
	245/45R18	V	96			255/40R21	V	102	
	245/45R18	W	100			255/45R21	V	106	
	245/50R18	W	100			265/40ZR21	(Y)	105	
	245/60R18	V	105			265/45R21	V	108	
	255/55R18	V	109			275/45R21	W	110	
							305/35ZR21	(Y)	109
	225/45R19	W	92		22	265/40R22	V	106	
	225/55R19	H	99				275/40R22	W	107
	235/40R19	Y	96						
	235/45R19	V	99						
	235/50R19	V	99						
	235/55R19	V	105						
245/35R19	Y	93							
245/40R19	W	98							
245/45R19	V	102							
245/50R19	V	105							
245/55R19	V	103							
255/40R19	Y	100							
255/45R19	V	100							
255/50R19	V	107							
255/55R19	V	111							

QUIET AND COMFORTABLE

- Sound-muting water wave pattern
- Optimal design of variable pitch and dislocation
- Pipe noise optimization technology




PRECISE CONTROL

- 3d design of outer perimeter groove
- Optimized design of transverse groove's cutting angle



BRAKING SAFETY




- Groove pre-deformation technology
- Widened & optimized positioning of longitudinal groove





GitiControl P80

Experience GitiControl P80, Giti's high-performance offering designed for premium vehicles. Combining top technology and advanced wet/dry handling, the P80 is available in both standard and RunFlat versions, providing drivers with the upmost control.

Rim size:  18 - 22" | **Aspect Ratio:**  35 - 55 | **Max. speed:**  240 - 300 km/h



advanztech
Precision Handling

* A unique construction that locks together for greater rigidity when traction is needed most, without giving up handling and wear performance.

	Size	Speed Rating	Load Index
18	255/55R18	W	109
	235/55R19	W	101
	255/50R19	W	107
19	255/55R19	W	111
	265/45R20	Y	104
	265/50R20	V	111
20	285/45R20	Y	112
	295/35R21	Y	107
22	265/40R22	V	106
	265/45R22	V	109


COMFORTABLE WHILE DRIVING

- Sufficient elastic of support ring, faster convergence while pulsation :
More comfortable in a normal tire pressure



PRECISE CONTROL

- Strong Cap ply with Aramid Fiber, with sidewall reinforce design :
Strengthen the crown and side wall, to improve the control performance



- Strong double-layer artificial silk materials :
Enhance the impact of force of carcass and better control






SHORTER WET BRAKING DISTANCE

- Soft and smooth tread rubber with multi materials :
Enhanced grip on wet ground



GitiControl 288

GitiControl 288's great looks come with great performance. This ultra-high performance tire for sedan vehicles delivers superior control and wet handling, while providing a quiet ride for luxury loving drivers.

Rim size:  17 - 20" | **Aspect Ratio:**  35 - 55 | **Max. speed:**  270 - 300 km/h



advanztech
Giti Noise-Reduction Technology

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.






Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index				
17	225/45R17	W	91	18	245/50ZR18	Y	100	18	225/45R18	W	95	19	275/35R19	Y	96
	235/55ZR17	Y	99		235/50ZR18	Y	101		225/50R18	W	95		245/45R19	Y	98
	225/45R17	W	91		255/45ZR18	Y	99		225/40R18	W	92	20	265/40ZR20	Y	104
	225/55R17	W	97		235/55ZR18	Y	104		245/45R18	Y	100		245/40ZR20	Y	99
	225/50R17	W	98		275/45ZR18	Y	107		19	275/40ZR19	Y	101	275/35ZR20	Y	102
	205/45R17	W	88		245/45ZR18	W	100			255/40ZR19	Y	100	275/35ZRF20	Y	102
18	235/45R18	W	94	245/50R18	W	100	255/45ZR19	Y	104	275/35ZR20	W	102			
	255/40R18	W	99	255/40R18	W	95	275/40R19	Y	101	245/40ZR20	W	99			
	225/45R18	W	95	275/40R18	Y	99	235/45R19	V	95	245/40R20	W	99			
	225/40R18	W	92	235/50R18	V	97	245/40R19	Y	98						



GitiControl SUV880

For performance-minded individuals with premium SUV vehicles, the GitiControl SUV880 uses an advanced asymmetrical tread pattern and tread compound for outstanding cornering ability in wet and dry conditions.

Rim size:  17 - 20" | **Aspect Ratio:**  40 - 60 | **Max. speed:**  240 - 300 km/h



advanztech
Giti Noise-Reduction Technology


Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.

Size	Speed Rating	Load Index	Size	Speed Rating	Load Index		
17	255/60R17	V	106	20	245/45ZR20	W	103
19	235/50R19	V	99		275/40ZR20	Y	106
	265/50ZR19	Y	110		275/45ZR20	Y	110
	275/45ZR19	Y	108	295/40ZR20	Y	110	



Giti Synergy^{H2} 

For drivers and families who seek an overall terrific combination of comfort, safety, mileage, and fuel savings – the Giti Synergy H2 offers German Engineering and AdvanZtech development for both mid and high-range vehicles.

- Rim size:**  14 - 19"
- Aspect Ratio:**  50 - 70
- Max. speed:**  210 - 300 km/h



Size	Speed Rating	Load Index	Size	Speed Rating	Load Index
14	185/60R14	H 82	17	225/55R17	V 97
	175/65R14	T 82		215/55R17	H 98
	165/70R14	T 81		*235/65R17	V 108
15	185/60R15	H 88	*225/65R17	V 102	
	195/65R15	H 95	*215/60R17	H 96	
	185/65R15	H 88	205/50R17	Y 93	
	185/65R15	T 88	225/50R17	Y 98	
	205/65R15	H 99	*235/55R17	V 99	
	195/65R15	H 91	*215/65R17	V 99	
	195/60R15	H 88	225/55R17	Y 101	
	195/65R15	V 91	215/50R17	Y 95	
	175/65R15	H 84	*215/55R17	W 94	
	185/55R15	H 82	205/55R17	W 95	
	195/50R15	V 82	*225/60R17	V 99	
16	195/55R15	V 85	18	*235/50R18	V 97
	185/65R15	T 92		*225/50R18	W 99
	205/60R16	H 96	*235/60R18	W 107	
	*215/65R16	H 98	*215/55R18	V 99	
	205/55R16	V 91	*225/55R18	V 98	
	205/55R16	H 91	*225/60R18	V 100	
	205/60R16	V 96	*235/55R18	V 104	
	205/55R16	W 91	*255/55R18	T 105	
	215/55R16	W 97	*235/60R18	T 103	
	215/60R16	V 99	215/50R18	T 92	
	225/55R16	W 99	19	*225/55R19	V 99
195/55R16	V 91	* for SUV sizes			
195/55R16	W 91				
195/55R16	W 91				
195/55R16	W 91				
205/55R16	V 94				
185/50R16	H 81				
175/60R16	H 82				
205/65R16	H 95				

 **LONGEVITY AND FUEL SAVINGS**

- Optimized pattern block geometry & sequence for low noise and smooth riding
- Improved rolling resistance for lower emissions and fuel savings. RR label A in selected sizes




 **COMFORT AND SAFETY**

- Large center blocks with 3D tread grooves deliver the utmost grip for better driving safety even on the wettest roads
- Contact (SFC) provides a better contact area where the tread meets the road. This profile also prevents tyre deformations while minimizing shoulder wear for longer tyre life






 **WET DRIVING STRENGTHS**

- 4 Wide grooves for exceptional water drainage (3 grooves for section <195)
- Innovative new tread compound for extremely short braking distances - Wet Label A
- 4% improved aquaplaning resistance from previous generation



Giti Synergy^{E2}

Optimized for Electric and ULRR-focus vehicles, this Ultra-Low Rolling Resistance tire combines smooth driving, low-energy usage, and advanced design to take performance to new limits.

- Rim size:**  19 - 20"
- Aspect Ratio:**  55 - 70
- Max. speed:**  160-210 km/h

Size	Speed Rating	Load Index
19	155/70R19	Q 84
20	195/55R20	H 95

 **NARROW SECTION**

- Reduced drag, better aerodynamics
- Reduced rolling resistance
- Reduced tyre deformation

 **HIGH ASPECT RATIO**

- Increased circumference
- Increase contact patch (+14% vs a standard 205/55R16)
- Improved handling

 **LARGE DIAMETER**

- Reduced tyre deformation
- Improved rolling resistance

 **SPECIFIC LOW ENERGY COMPOUND**

- Reduced Rolling resistance
- Long lasting wear life
- Outstanding grip on dry and wet roads

 **NEW PATTERN DESIGN**

- Advanced pitch ratio for silent tyres
- Specific 3 wide grooves for water evacuation
- Hard shoulder blocks for dry handling





Giti Comfort F50

An SUV tire which highlights silence and comfort.

- Rim size:** 16 - 20"
- Aspect Ratio:** 50 - 65
- Max. speed:** 210 - 240 km/h

advanztech
Giti Noise-Reduction Technology

★ The unique noise-reduction technology not only reduces the noise decibel value, but also improves the ride comfort. Lower rolling resistance and shorter braking distance on wet ground, bring pleasant and safe driving experience to drivers.



Size	Speed Rating	Load Index	Size	Speed Rating	Load Index
16	215/65R16	H 98	19	225/55R19	H 99
17	215/65R17	V 99	235/60R19	H 107	
	225/65R17	H 102	235/50R19	V 99	
	235/65R17	V 104	225/55R19	H 99	
	225/60R17	H 99	235/55R19	V 101	
	215/60R17	H 96	225/55R19	H 99	
	215/60R17	H 96	235/60R19	H 107	
	235/65R17	V 104	255/45R20	H 101	
	215/60R17	H 96			
	225/60R17	H 99			
	235/65R17	V 104			
18	235/60R18	H 103			
	235/55R18	V 100			
	225/60R18	H 100			
	215/55R18	H 95			
	215/55R18	V 95			
	225/60R18	H 100			
	225/60R18	H 100			
	225/55R18	V 98			
	235/65R18	V 106			
	225/55R18	V 98			
235/60R18	H 103				
225/55R18	V 98				
225/55R18	V 98				
215/55R18	H 95				
235/55R18	V 100				
215/55R18	H 95				
225/60R18	H 100				
225/55R18	V 98				
235/60R18	H 103				
225/55R18	V 98				
235/55R18	V 100				

COMFORTABLE AND QUIET


- Accurately adjusted tread pattern block length and sorting order, realizing spectrum adjustment of pattern noise:
-Reduces pattern noise, improving the ride comfort
- Multi-angle design of pattern grooves, to effectively suppress tire ground noise:
Reduces noise caused by pumping effect
- Silent design of tire outline and construction, and intelligent simulation evaluation method:
Reduces noise caused by tire construction vibration

ENERGY SAVING, ENVIRONMENT PROTECTION

- Dispersion-improved nano-silica reinforcing material, drastically reducing the amount of friction
- Restrains rising temperatures and reduces heat from tires, to save energy and fuel

WET DRIVING SAFETY

- Improved hydrophilic compound, combining with the sipe system to break through residual water film:
Increases the ground area, improving grip strength on wet surfaces




Giti Comfort 225 V1

A new generation of green energy-saving tire, developed to meet the needs of alternative energy vehicles with large torque and heavier body weight. Using strict OEM requirements as the standard, to maximize the energy-saving advantages of tires and vehicles.

- Rim size:** 16 - 20"
- Aspect Ratio:** 45 - 55
- Max. speed:** 210 - 270 km/h

advanztech
Giti Noise-Reduction Technology

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.



Size	Speed Rating	Load Index
16	205/55R16	V 91
18	225/45R18	V 95
	215/50R18	V 96
	245/50R18	V 100
	225/45R18	V 95
	225/55R18	H 98
	215/50R18	V 96
19	225/45R18	V 95
	225/50R18	V 95
	225/45R18	V 95
	235/50R19	V 99
	235/55R19	V 101
20	235/55R19	V 101
	235/55R19	V 101
	245/45R20	V 103
	245/50R20	V 102

MINIMIZE WEAR AND TEAR FOR MORE ENERGY SAVINGS

- Lighter and stronger carcass and cap materials for a smoother ride: Reduced weight and energy consumption
- A new low-rolling resistance tread compound with multi-end modified solution polymerized styrene butadiene rubber(SSBR): Reduction of tread heat-generation Reduced energy consumption
- Equipped with second-generation tire RR prediction technology: Lowered thickness of tread rubber and reduced energy loss

STRONG GRIP STABLE RIDE

- Blended with synthetic rubber with high styrene content and high moisture-resistant silica: Provides excellent wet grip
- Strong tread pattern design and gradual depth structure of the main groove: Greatly improves overall tire shoulder rigidity, providing a more convenient driving response, stronger grip, and more sensitive steering

LESS NOISE MORE COMFORT

- S4-band pattern block variable pitch design, reducing the sharpness of tires hitting the road surface: Reduced instantaneous impact noise



GitiComfort F22


A passenger car tire which highlights silence and comfort.

- Rim size:** 16 - 18"
- Aspect Ratio:** 40 - 65
- Max. speed:** 180 - 270 km/h



advanztech
Giti Noise-Reduction Technology

★ The unique noise-reduction technology not only reduces the noise decibel value, but also improves the ride comfort. Lower rolling resistance and shorter braking distance on wet ground, bring pleasant and safe driving experience to drivers.



Size	Speed Rating	Load Index	Size	Speed Rating	Load Index
15	185/65R15	T 88	17	225/45R17	V 91
	195/65R15	H 91		225/55R17	V 97
	185/65R15	T 88		225/50R17	V 94
16	205/65R16	V 95	215/55R17	V 94	
	205/60R16	V 92	205/50R17	V 93	
	205/55R16	V 94	225/45R17	H 91	
	215/60R16	V 95	215/50R17	V 95	
	225/60R16	H 98	205/55R17	H 91	
	205/55R16	V 91	205/50R17	V 93	
	215/55R16	V 93	225/55R17	H 97	
	195/55R16	V 91	215/55R17	H 94	
	205/55R16	H 91	205/55R17	H 91	
	225/60R16	V 98	215/55R17	V 94	
215/60R16	H 95	225/55R17	H 101		
205/60R16	H 92	205/55R17	H 91		
			215/55R17	V 94	
			18	225/40R18	V 92
				235/50R18	H 101
				235/45R18	W 94
				245/40R18	Y 97
				215/50R18	H 92
				225/45R18	V 95
			225/50R18	H 95	
			235/50R18	V 97	
			225/45R18	V 95	

COMFORTABLE AND QUIET

- Accurately adjusted pattern length and alignment: Reduces noise of the patterns, improving ride comfort
- Multi-angle design of pattern grooves, to effectively suppress tire ground noise: -Reduces noise caused by pumping effect
- Silent design of tire outline and construction, and intelligent simulation evaluation method: Reduces noise caused by tire construction vibration

ENERGY SAVING, ENVIRONMENT PROTECTION

- Brand new silicon-oriented technology and mixing technology, decreasing heat from rubber
- Reduces heat from tire and rolling resistance, saving fuel

WET DRIVING SAFETY

- High-dispersion nano-silica and sipe system combines to break through residual water film: Improved hydrophilicity to shorten braking distance and improve the safety on wet ground



GitiComfort T29

Ultra-high mileage and durability. New technology includes reduced noise. Perfect for ride hailing vehicles and optimized for EV cars.

- Rim size:** 15 - 17"
- Aspect Ratio:** 50 - 65
- Max. speed:** 210 - 240 km/h



advanztech
Giti Noise-Reduction Technology

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.

EQUAL FORCE CASING DESIGN
Improves overall handling, lowers irregular wear, and increases tire life.



Size	Speed Rating	Load Index
15	185/60R15	H 84
	185/65R15	H 88
	195/65R15	H 91
16	205/55R16	H 94
	205/60R16	H 99
	205/65R16	H 99
	215/60R16	H 99
17	205/50R17	H 93
	215/55R17	V 98
	215/65R17	H 103
	215/50R17	V 95
	225/55R17	V 101
225/65R17	H 106	

MILEAGE AND QUIET

- Reinforced carbon black with tiny particle and high molecular structure, to offer high mileage performance
- New design sipes to ensure the tread rigidity and decrease the noise

ENHANCED GRIP

- Two wider steel belt plies with high molecular material, enhance the tread rigidity, decrease the transformation and ensure the good grip and excellent handling
- Deeper sipes and decoration sipes: even decoration worn out, the sipes still exist which can ensure the grip in the later period
- Three wider grooves improve the tread block rigidity and wet grip/braking



COMFORT AND SAFETY


- Optimized apex improves the sidewall rigidity and offers the good handling and comfort. High tension bead steel helps avoid the breakage and keep inner tire pressure and ensure the drive safety



Giti Comfort T20

This tire is designed for passenger cars, providing a great value and overall driving experience. It promises outstanding mileage and strong body construction to protect you from road hazards on your journey.

Rim size:  12 - 16" | **Aspect Ratio:**  50 - 75 | **Max. speed:**  190 - 240 km/h

 **EQUAL FORCE CASING DESIGN**
Improves overall handling, lowers irregular wear, and increases tire life.

 **advanztech**
Giti Noise-Reduction Technology
Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.

	Size	Speed Rating	Load Index		Size	Speed Rating	Load Index	
12	145/70R12	T	69	15	175/60R15	T	81	
	13	155/65R13	H		73	175/65R15	H	84
		165/65R13	T		77	185/55R15	H	82
	165/70R13	T	83		185/60R15	H	84	
	175/60R13	H	77		185/65R15	H	88	
14	175/70R13	T	82	195/55R15	H	85		
	185/70R13	T	86	195/60R15	H	88		
	155/65R14	T	75	195/65R15	V	91		
	165/60R14	H	75	205/65R15	V	94		
165/70R14	H	81	205/70R15	T	96			
16	175/60R14	H	79	185/55R16	H	83		
	175/65R14	H	82	195/50R16	V	84		
	175/70R14	H	84	195/55R16	H	91		
	185/60R14	H	82	205/55R16	V	91		
	185/65R14	H	86	215/60R16	H	95		
	185/70R14	H	92	225/60R16	H	98		
	195/60R14	H	86	235/60R16	H	100		
	195/70R14	T	95					
	205/60R14	H	88					
	205/75R14	S	95					

DURABILITY AND MILEAGE

- Reinforced sidewall technology
- Strong impact resistance of the sidewall



- Mutual-support pattern block design: Enhanced tread rigidity and less chipping



- 5-pitch pattern design and 72-pitch arrangement: Less noise for more comfort






- Double-layer steel belt and cap ply structure with high constraint
- Strong tire crown for stable driving
- Increasing durability and mileage



Giti Comfort 228^{V1}

This newly upgraded tire provides the advantages of comfort and low noise, while also delivering great control and handling for premium and modern vehicles.

Rim size:  16 - 18" | **Aspect Ratio:**  45 - 65 | **Max. speed:**  210 - 270 km/h

 **advanztech**
Giti Noise-Reduction Technology

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.






Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index			
16	205/55R16	V	91	17	215/50R17	V	91	18	235/45R18	V	94
	205/65R16	V	95		225/45R17	V	90		245/45R18	V	100
	195/60R16	H	89		235/45ZR17	W	93				
	215/55R16	V	93		235/50R17	V	96				
	225/55ZR16	W	95		215/45R17	V	91				
205/45R16	H	87	225/50R17	V	94						
215/45R16	V	90	215/55R17	V	94						
205/60R16	V	92	205/50R17	W	93						
205/55R16	V	91	18	225/45R18	V	95					
205/55R16	V	91									



Giti Comfort 520^{V1}

Feel at ease when driving! This newly upgraded comfort SUV tire adds even more performance to its focus on comfort and safety, allowing for great breaking and control in multiple conditions.

Rim size:  17 - 21" | **Aspect Ratio:**  45 - 65 | **Max. speed:**  210 - 240 km/h

 **advanztech**
Giti Noise-Reduction Technology

Uses advanced computer calculation methods to get the most optimized pattern design, minimizing driving noise.

Size	Speed Rating	Load Index	Size	Speed Rating	Load Index		
17	215/60R17	H	96	18	255/60R18	T	112
18	235/50R18	V	97	21	255/45R21	H	102
	215/55R18	H	95				
	235/65R18	V	106				



GitiXross HT 71

A next-generation high-mileage tire specially designed for pick-ups and on-road SUVs.


Rim size:

 17 - 20"

Aspect Ratio:

 55 - 70

Max. speed:

 190-210 km/h



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology

Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



HIGH WEAR RESISTANCE FOR LONGER MILEAGE

- Nanoscale-reinforced rubber tread compounds Enables tight bonding between filling molecules for higher wear resistance
- Dynamic pressure balancing technology Optimizes tread contour for better performing wear-resistance and tire contact pressure distribution for minimized irregular wear and extended mileage




LOWER NOISE FOR INCREASED COMFORT

- Cross-shaped groove design for noise reduction Cross-shaped groove effectively disperses airflow and reduces vibration, thereby reducing noise
- Innovative tread block noise reduction technology Reduces impact of tread blocks on the road surface for lower noise and greater comfort



STRONGER CASING FOR HIGHER LOADS

- High-strength casing construction Casing build with next-generation high-strength polyester fiber for 30% higher strength and increased safety
- Crown steel with high loadability Enhanced tread rigidity, puncture resistance and loadability



	Size	Speed Rating	Load Index
17	265/70R17	T	115
	255/70R17	T	112
	265/65R17	T	112
	225/65R17	H	106
18	265/65R18	H	114
	265/70R18	T	116
	265/60R18	H	114
	265/60R18	H	110
	265/70R18	T	116
	265/60R18	H	110
19	235/55R19	V	105
	225/55R19	V	103
	255/55R19	V	111
20	275/55R20	H	113



Giti 4X4 AT 71

A special designed all-terrain pattern for off-road vehicles, featuring low noise and durability performance.


Rim size:

 17 - 20"

Aspect Ratio:

 50 - 70

Max. speed:

 180-190km/h



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.

	Size	Speed Rating	Load Index
17	225/65R17	T	102
	LT245/65R17	S	105/102
	LT265/65R17	S	120/117
18	265/60R18	S	110
	265/70R18	S	116
	235/60R18	T	103
	LT285/60R18	S	121/118
	265/65R18	T	114
	265/70R18	T	116
19	255/60R19	H	109
	20	LT285/50R20	S



OFF-ROAD PERFORMANCE

- Special detail design at the bottom of groove : reduce stone residue
- Open transverse groove design : effectively remove sediment and improve off-road performance



NOISE REDUCTION PERFORMANCE

- Shoulder one-third transverse groove design : block noise transmission
- Segmented discontinuous transverse trench design : improve stiffness and reduce noise






Giti 4X4 AT 70

The Giti4x4 AT70 is Giti's premium off-road offering, featuring an attractive and aggressive pattern. Utilizing tank-inspired technology, its durability on all types of road conditions is ideal for the adventurer in you.

Rim size: 15 - 20" | **Aspect Ratio:** 50 - 75 | **Max. speed:** 180-190 km/h

 **EQUAL FORCE CASING DESIGN**
Improves overall handling, lowers irregular wear, and increases tire life.



 **advanztech**
Extra Durable Technology
Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.

Size	Speed Rating	Load Index	Size	Speed Rating	Load Index
15	31x10.50R15LT	S 104/101	18	265/60R18	S 110
	LT235/75R15	S 109		285/60R18	T 116
16	LT235/70R16	S 104/101	265/65R18	T 114	
	LT245/75R16	S 120/116	265/60R18	T 114	
	LT245/70R16	S 111/109	255/65R18	T 111	
	LT265/70R16	S 117/114	265/60R18	T 114	
	LT225/75R16	S 118/116	20	265/50R20	T 111
	245/70R16	T 111		265/55R20	T 113
	255/70R16	T 111		275/55R20	T 117
17	265/70R16	S 112			
	265/75R16	S 116			
	245/70R16	S 107			
	LT265/65R17	S 120/117			
	245/75R17	T 112			
	285/65R17	S 116			
265/65R17	T 112				
LT265/70R17	R 121/118				
255/65R17	T 110				
255/65R17	T 110				

OFF-ROAD PERFORMANCE

- Increased tread width: Improved grip 
- Crown pattern block with gravel simulation design: Strengthened grip on gravel-paved surface 
- Tread compound with higher natural rubber content: Tougher tread with higher resistance to cutting 

SAFE AND DURABLE


- 3-layer casing + 5-layer sidewall: Increased strength for higher casing impact resistance 
- Sidewall thickness up to 5.0 mm: Protects the sidewall from piercing 
- 3.5 mm high "guardrail" protection bar: Blocks gravels to reduce sidewall damage 



Giti 4X4 HT 152

The Giti4x4 HT152 is a top-level highway-terrain tire, offering great mileage and distance driving - as well as enhanced wet grip and safety features for your driving assurance.

Rim size: 16 - 20" | **Aspect Ratio:** 50 - 70 | **Max. speed:** 190 - 210 km/h

 **EQUAL FORCE CASING DESIGN**
Improves overall handling, lowers irregular wear, and increases tire life.

 **advanztech**
Extra Durable Technology
Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.


Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index
16	215/65R16	H 98	17	225/65R17	H 99	18	235/60R18	H 103	20	285/50R20	V 116
	215/70R16	H 100		235/55R17	H 102		235/50R18	H 97		275/60R20	H 115
	225/70R16	T 103		235/60R17	H 102		245/60R18	H 105			
	235/70R16	H 106		235/65R17	H 104		255/60R18	H 112			
	245/70R16	T 111		245/65R17	H 111		265/60R18	T 110			
	255/70R16	H 111		265/65R17	T 112		265/60R18	H 110			
	265/70R16	T 112		265/70R17	T 115		255/60R18	H 108			
17	215/60R17	H 96	18	215/55R18	H 95	225/60R18	H 104				
	225/55R17	H 97		235/55R18	H 100	19	225/55R19	H 99			
	225/60R17	H 99		225/55R18	H 98		245/55R19	H 103			



Giti 4X4 AT 100

A specially-designed tire for SUV/4x4 vehicles, balancing strong off-road capabilities with a comfortable on-road drive.

Rim size: 15 - 18" | **Aspect Ratio:** 60 - 75 | **Max. speed:** 170 - 190 km/h

 **EQUAL FORCE CASING DESIGN**
Improves overall handling, lowers irregular wear, and increases tire life.


 **advanztech**
Extra Durable Technology
Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.

Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	Size	Speed Rating	Load Index	
15	LT215/75R15	S 100/97	16	LT245/70R16	S 111/109	16	LT275/70R16	S 119/116	17	LT275/65R17	S 121/118	
	LT225/75R15	S 102/99		LT245/75R16	S 120/116		225/60R17	T 99		18	285/60R18	T 116
	LT235/75R15	R 104/101		LT265/70R16	S 117/114		235/65R17	T 104				
16	215/65R16	T 98	LT265/75R16	S 119/116	LT265/70R17	S 121/118						




Giti Van^{HD1}

Mileage, productivity and wellbeing.

Rim size:
 16 - 17"

Aspect Ratio:
 65 - 70


 **EQUAL FORCE CASING DESIGN**
 Improves overall handling, lowers irregular wear, and increases tire life.

 **advanztech**
Extra Durable Technology
 Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.

	Size	Speed Rating	Load Index
16	205/65R16C	T	107/105
	235/65R16C	R	115/113
	205/75R16C	R	113/111
17	205/70R17C	R	115/113

DURABILITY AND MILEAGE

- Combines with the ultra flat tyre design contour. Extraordinary mileage performance, with a smooth wear
- Advanced compound, features a label A on the wet grip.




- Pattern design is suits to handle gravel and small stones that can penetrate the tire and create slow deflations
- Robust carcass construction and reinforced side walls




Giti Van 600

The GitiVan 600 is known for its consistency and durability, providing commercial van drivers with an all-around tire they can trust.

Rim size:
 12 - 16"

Aspect Ratio:
 70 - 75

Max. Load:
 462 to 1060 / tire

 **EQUAL FORCE CASING DESIGN**
 Improves overall handling, lowers irregular wear, and increases tire life.

 **advanztech**
Extra Durable Technology
 Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.

	Size	Speed Rating	Load Index
12	155R12C LT	N	83/81
13	155R13C LT	S	90/88
	165/70R13C LT	T	88/86
14	175R13C LT	Q	97/95
	175/70R14C LT	S	95/93
	185R14C LT	R	102/100
15	195R14C LT	N	105/103
	205R14C LT	N	107/105
15	205/70R15C LT	R	104/102
16	195/75R16C LT	N	110/108

DURABILITY AND MILEAGE

- Double-layer high-strength steel belt and high-strength nylon cap ply: Enhanced tread rigidity, eliminating deformation



- High-strength casing with polyester ply: Increased casing strength



- Continuous and large pattern block design: Increased tread block rigidity, eliminating irregular wear



- Wear-resistant tread compound formula for commercial vehicles: Higher wear resistance





Giti Van 600^B

"New generation commercial tire with improved wear and durability for heavy usage on all roads."

Rim size:
🔧 12-17"

Aspect Ratio:
📏 75



EQUAL FORCE CASING DESIGN
Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology
Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.



LARGE SHOULDER BLOCK WITH INTEGRATED SIPES

- Comfortable and quiet drive




CIRCUMFERENTIAL RIB DESIGNED WITH LATERAL SIPES

- Excellent grip on both wet and dry road condition. Lower noise level and improve mileage for longer service



THREE WIDE CIRCUMFERENTIAL GROOVES

- Effective dispense water. Reduce aquaplaning and better handling on wet road condition



	Size	Speed Rating	Load Index
12	145R12C LT	N	86/84
	155R12C LT	R	88/86
14	205R14C LT	Q	113/111
	195R14C LT	Q	110/108
	205/75R14C LT	S	113/111
16	215/65R16C LT	T	109/107
	215/65R16LT	T	113/110
	215/65R16C	T	109/107
	215/65R16LT	T	113/110
17	235/60R17C LT	T	117/115
	235/60R17LT	T	112/109
	235/60R17LT	T	112/109
	235/60R17LT	T	112/109



Giti Utility 668^{V1}

The GitiUtility 668v1 is a modern and highly popular commercial light truck pattern, focused on durability and mileage that enhances your driving efficiency and experience.

Rim size:
🔧 16"

Aspect Ratio:
📏 80

Max. Load:
📊 975-1500 / tire



EQUAL FORCE CASING DESIGN
Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology
Combination of tread compound, pattern design, and overall casing structure that significantly improves tire durability and rigidity.




DURABILITY AND MILEAGE


- Double-layer high-strength steel belt and high-strength nylon cap ply: Enhanced tread rigidity, eliminating deformation




- FEA construction: Optimizes and uniformly distributes contact pressure, Improve wear performance Good performance against irregular wear



- Strong bead design: Improved bead durability, delivering longer service life



- Applied high modulus and low-shrink polyester ply: Strong casing, delivering good load carrying performance for longer service life



- Shallow sipe design: Good wet grip



	Size	Speed Rating	Load Index
16	6.50R16LT	N	107/102
	7.00R16LT	N	115/110
	7.50R16LT	N	122/118



**Drive with
Peace of Mind**

**GO UP TO 80 KM/H
FOR UP TO 80 KILOMETERS
IN THE EVENT OF A PUNCTURE**

Giti Tire RunFlat Benefits

PEACE OF MIND

Giti's RunFlat tires give drivers the confidence that they won't be stranded with a flat tire.



THE INNER SUPPORT RING

Inside the tire supports the vehicle after a loss of air pressure, allowing the tire to function and the vehicle to continue on the road.

MORE TRUNK SPACE

Giti's RunFlat tires eliminate the need for a spare tire, allowing for more space to put the things that matter most to you.



With Spare Tire



Using RunFlat Tire




Giti RunFlat Technology

Drive with peace of mind at zero air pressure



Special grade rubber for the inner support ring More steel cords in the bead



Drive safely for 80km at zero air pressure



Bead allows the tire to firmly grip to the wheel

Drive comfortably at normal air pressure



Optimize distribution of stress points in the inner support ring



Allow flexible sidewall for higher riding comfort



GitiControl P10 RunFlat tire

Size	Speed Rating	Load Index	Advantage	Features	Benefits	
18	245/45R18	W 100	Safe driving with zero air pressure	Special support rubber ring	Special support rubber ring with thick bead wire	Strong holding of tire to rim
	225/45R18	Y 95				
	225/50R18	W 95				
	235/50R18	V 97				
	245/50R18	W 100				
19	245/40R18	Y 97	More comfortable driving under normal air pressure	Optimized support and uniform stress	Sufficient elasticity of support rubber and faster convergence during vibration	
	245/50R19	W 105				
	255/50R19	V 107				
	245/40R19	Y 98				
	275/35R19	Y 96				
	245/45R19	Y 98				
	275/40R19	Y 101				
20	255/45R20	V 101	Sporty and comfortable	High dispersive silica in the tread compound	Improve adhesion on wet load surface	
Increased pattern stiffness and wider main groove, together with three-dimensional chamfer design	Good handling and prompt response, efficient water disperse capacity and more stable while cornering					
		Full freedom pattern dislocation optimization technology and Bird-feather bionic curve on the bottom of main groove				Scatter air flow in main groove and disperse impact energy with load surface to reduce noise



GitiControl P80 RunFlat tire

Size	Speed Rating	Load Index	Advantage	Features	Benefits	
17	225/60R17	V 99	Safe driving with zero air pressure	Special support rubber ring	Special support rubber ring with thick bead wire	Strong holding of tire to rim
18	255/55R18	W 109				
19	235/55R19	V 101	More comfortable driving under normal air pressure	Optimized support and uniform stress	Sufficient elasticity of support rubber and faster convergence during vibration	
	255/50R19	W 107				
20	255/45R20	W 101	Short wet braking distance	3D pattern design to optimizes wide footprint and contact area and wide groove	Increase road holding and water evacuation on wet surface	
	275/40R20	W 106				
	315/35R20	W 110				
			Dedicated fomulation of tread compound		High grip	




GitiComfort F22 RunFlat tire

Size	Speed Rating	Load Index	Advantage	Features	Benefits	
16	205/60R16	V 92	Safe driving with zero air pressure	Special support rubber ring	Special support rubber ring with thick bead wire	Strong holding of tire to rim
	205/55R16	V 91				
	225/55R16	W 95				
17	205/55R17	V 91	More comfortable driving under normal air pressure	Optimized support and uniform stress	Sufficient elasticity of support rubber and faster convergence during vibration	
	225/50R17	W 94				
	225/55R17	W 97				
	225/45R17	W 91				
			Quiet and comfortable	Multiple groups of pattern block dislocation arrangement	Targeted to solve the noise generated by the tire beating the ground	
						The four main grooves are designed with high density mesh water breaking dislocation sipe
			RR SimTech 2.0 simulation technology		Reduce crown deformation and energy loss caused by hysteretic work during tire movement	

General Function of Tires for All Types of Vehicles




1. Weight-bearing
Air pressure and tire construction are important factors to carry and sustain the weight of vehicles.



2. Absorb shocks
Air pressure and tire construction reduces initial road vibrations and shocks before being muted again by the suspension.




3. Delivering power from the engine
Tires serve to deliver power from the engine to move the vehicle and also provides traction and braking performance.



4. Translating steering wheel movement
Tires are very important in controlling the direction of the vehicle, which will determine the maneuvering capability and stability in driving.

Understand Tire Size



Tires have its 'language' to communicate in the form of a series of numbers and letters to indicating data specification, brand and type. It is universal and has been agreed by all tire manufacturers worldwide.

Here are the meanings of these codes:

1. Tire width (in mm)
2. A tire's aspect ratio is the dimensional relationship of the tire's section height to section width, expressed as a percentage.
3. Diameter of wheel (in inches)
4. Load Index
5. Speed Index

Understand Load Index and Speed Rating

The Speed index is an assigned letter ranging from J to Z that corresponds to the reference maximum speed at the associated load index. Refer to the load index and speed rating tables below.

These two elements put together are called the service description and are mutually dependent. The table below gives the load index and the speed symbol with their corresponding value.

UTQG (Uniform Tire Quality Grades) Rating

The UTQG (Uniform Tire Quality Grades) rating is a labeling requirement by the U.S Department of Transportation for all tire manufacturers. The label of UTQG represents a tire's Treadwear, Traction and **Temperature** resistance. Traction and temperature resistance ratings are specific performance levels, while treadwear ratings are assigned by manufacturers following tests conducted and are reliable when comparing tires of the same brand.



The UTQG rating comprises of 3 components.

Treadwear

The treadwear grade indicates the wear rate of a tire and is a comparative rating based on test conducted by tire manufacturers. The grades are not an indication of actual mileage, but can be used as a relative comparison. For example, a grading of 400 should last twice as long as a tire graded 200, given similar driving conditions in the same brand.

Traction

Traction rating is an indication of a tire's ability to stop on wet pavement. The braking distance is indicated by ratings of "AA" (highest braking ability), "A", "B" and "C". Traction rating only indicates straight line wet braking and does not indicate wet cornering abilities of the tire.

Temperature

Temperature resistance rating indicates the tire's ability to withstand heat. It is graded according to a properly inflated and not overloaded tire. It is graded from "C", being the lowest, to "B" and "A" ratings.

Load Index (Symbol and Maximum Load in Lbs & Kg)

LI	Lbs	Kgs	LI	Lbs	Kgs	LI	Lbs	Kg	LI	Lbs	Kg
71	761	345	81	1019	462	91	1356	615	101	1819	825
72	783	355	82	1047	475	92	1389	630	102	1874	850
73	805	365	83	1074	487	93	1433	650	103	1929	875
74	827	375	84	1102	500	94	1477	670	104	1984	900
75	853	387	85	1135	515	95	1521	690	105	2039	925
76	882	400	86	1168	530	96	1565	710	106	2094	950
77	908	412	87	1201	545	97	1609	730	107	2149	975
78	937	425	88	1235	560	98	1653	750	108	2205	1000
79	963	437	89	1279	580	99	1709	775	109	2271	1030
80	992	450	90	1323	600	100	1764	800	110	2337	1060

Speed Rating (Symbol and Maximum Speed in MpH & KmH)

	J	K	L	M	N	P	Q	R	S	T	H	V	W	Y
MpH	62	68	75	81	87	93	100	106	113	118	130	150	168	188
KmH	100	110	120	130	140	150	160	170	180	190	210	240	270	300

Note: A "ZR" may appear for tires having a maximum speed capability above 240km/h (150 mph)

PASSENGER CAR TIRE OEM PARTNERS



Passenger Car Tire Partnerships

Supporting More than 300 Models Worldwide

Automotive companies are very selective in choosing their tire partners. They need tire manufacturers that are of the upmost quality and consistency, with a focus on performance and safety as top priorities.

Why Choose Giti Tire?


Giti offers a wide selection of products tailored to all different needs and styles of driving. However, there are a few consistent factors in all of the tires:

- Produced in top quality facilities in the US, China, and Indonesia
- Designed and tested by modern R&D facilities and teams in Europe, US, and Asia
- Use specially designed materials and patterns to make unique and advanced patterns
- Company and brand reputation trusted by drivers in 130 countries around the world




AUDI





	Size	Pattern
	T145/65R20 105M	SPARE TIRE


BAIC





	Size	Pattern
	175/65R14 82H	Giti WINGRO
	185/60R14 82H	GitiComfort 221


	205/50R17 93W	GitiComfort 228v1
--	---------------	-------------------


	225/50R18 99H XL	GitiComfort 225
--	------------------	-----------------


	265/60R18 110H	Giti4x4 HT152
--	----------------	---------------


	235/60R18 103H	GitiComfort 520V1
---	----------------	-------------------


	225/60R17 99H	GitiComfort SUV520
--	---------------	--------------------


	215/50R17 91V	GitiComfort 228v1
	205/60R16 92V	

	205/50R16 87V	GitiComfort 228
	195/55R15 85V	

	215/50R17 95H	GitiComfort 228V1
--	---------------	-------------------


	225/45R18 95V	GitiComfort 225V1
--	---------------	-------------------

	LT265/75R16 112/109S 6PR	AdventuroAT
--	--------------------------	-------------

	225/60R18 100H	GitiComfort F50
--	----------------	-----------------

BEIJING





	Size	Pattern
	265/65R18 114H	GitiXross HT71


BYD




	225/50R18	GitiComfort 225V1
---	-----------	-------------------


	165/60R14 75H	CHAMPIRO 128
---	---------------	--------------


	195/60R15 88H	WINGRO
---	---------------	--------


	205/55R16 91V	GitiComfort 228
---	---------------	-----------------


	205/55R16 94H	GitiTaxi 900
---	---------------	--------------


	205/60R16 92H	GitiComfort 221
---	---------------	-----------------

	225/65R17 102H	GitiComfort SUV520
---	----------------	--------------------


	235/65R17 104H	GitiComfort SUV520
---	----------------	--------------------

	245/50R18 100V	GitiComfort 225 V1
	245/45R19 98V	P10 (静音棉)


	245/45R19 98V	GitiComfort P10 GMS(PRO)
---	---------------	--------------------------


	205/60R16 92V	GitiComfort 228v1
---	---------------	-------------------

	225/60R18 100H	GitiComfort SUV520
	225/65R17 102H	GitiComfort 520V1

	205/55R16 94V	GitiComfort 225
---	---------------	-----------------


	225/65R17 102H	GitiComfort 225
---	----------------	-----------------


	215/55R17 94V	GitiComfort 225
	225/50R18 99H	


	215/55R17 94V	GitiComfort 228v1
	225/60R16 98V	


BYD




	205/55R16 94V	GitiComfort 228v1
	205/50R17 93W XL	


	215/55R17 94H	GitiComfort F22
	225/60R16 98H	GitiComfort F22


	255/50R20 109V	GitiControl P80
	245/45R20 103V	GitiComfort 225 V1


	215/55R17 94V	GitiComfort F22
	225/60R16 98V	

	245/45R20 103W XL	GitiControl SUV880
	235/60R18 103V	GitiComfort SUV520

	225/60R18 100H	GitiComfort SUV 520
---	----------------	---------------------


	235/55R18 100V	GitiComfort F50
	235/50R19 99V	GitiControl SUV880

	245/50R20 102V	GitiComfort 225V1
	235/55R19 101V	

	225/50R18	GitiComfort 225V1
---	-----------	-------------------

BUICK



	Size	Pattern
	195/65R15 91H	GitiComfort 228


BAOJUN



	195/55R16	GitiComfort 228
	205/55R16	GitiComfort 221 v1


	215/60R17	GitiComfort SUV 520
---	-----------	---------------------


	205/60R16	GitiComfort 228v1
---	-----------	-------------------

	215/55R18 95V	GitiComfort F50
	215/60R17 96H	GitiComfort SUV 520

BORGWARD





	Size	Pattern
	225/65R17 102H	GitiComfort SUV 520


	215/60R17 96H	GitiComfort 520V
---	---------------	------------------


CHANGAN





	Size	Pattern
	245/45R19	GitiControl P10

	235/55R19	GitiControl P10
	255/45R20	

	225/55R19	GitiComfort F50
---	-----------	-----------------


	195/65R15 91H	GitiComfort 228
---	---------------	-----------------


	195/50R16 84H	GitiComfort 221v1
	195/55R15 85V	GitiComfort 228


	205/55R16 91V	GitiComfort 228v1
	195/65R15 91V	GitiComfort 228


CHANGAN





	205/55R16 91V	GitiComfort 228v1
---	---------------	-------------------


	225/45R18	GitiComfort 228V1
		GitiComfort F22


	225/55R18	GitiComfort F50
	225/55R19	

	225/65R17 102H	GitiComfort F50
	225/60R18 100H	

	225/65R17	GitiComfort F50
	225/60R18 100H	


	225/55R19	GitiComfort F50
---	-----------	-----------------


	205/65R16 95V	GitiComfort 228v1
---	---------------	-------------------


	225/65R17 102H	GitiComfort SUV520
---	----------------	--------------------

CHERY





	Size	Pattern
	185/60 R15 84H	GitiComfort 228

	205/50 R17 93W	GitiComfort 228v1
---	----------------	-------------------

	205/55 R16 91V	GitiComfort 228v1
---	----------------	-------------------


	205/50R17 93V	GitiComfort F22
---	---------------	-----------------


	255/45R20 101H	GitiControl P80 SUV
	235/60R18 103H	GitiComfort F50


	255/45R20 101H	GitiComfort F50
---	----------------	-----------------


CHERY





	235/60R18 103H	GitiComfort F50
---	----------------	-----------------


	255/45R20 101H	GitiComfort F50
---	----------------	-----------------

	215/60R17 96H	GitiComfort F50
	215/55R18 95H	

	225/60R18 100H	GitiComfort F50
---	----------------	-----------------


	235/55R18 101H	GitiComfort SUV520v1
---	----------------	----------------------


	235/55R18 101H	GitiComfort F50
---	----------------	-----------------


	215/60R17 96H	GitiComfort F50
	215/55R18 95H	


CITROEN



	Size	Pattern
	205/55R16 91V	GitiControl 280v1

	225/55R17 97V	GitiComfort 228v1
---	---------------	-------------------






	195/55R16 87H	GitiComfort 221
	185/65R15 88H	

	205/60R16	GitiComfort 228v1
	215/50R17	

CHEVROLET 

Size	Pattern
 AVEO 185/60R15	GitiSynergy E1
 CAVALIER 185/65R15 88H	GitiComfort 220V1
 COBALT 185/75R14 89T	CHAMPIRO VP1
 SAIL 3 175/70R14 84T	GitiComfort 220V1
 CAPTIVA 255/45 ZR20 101Y	CHAMPIRO HPY
 SPIN 195/65 R15 91H	CHAMPIRO ECO
 MONZA 195/65R15 91H	GitiComfort 228


DAIHATSU 

Size	Pattern
 Ayla 155/80 R13 79T 175/65 R14 82T	CHAMPIRO ECO
 Luxio 195/65 R15 91H	CHAMPIRO BXT
 New Terios 215/65 R16 98S	SAVERO SUV
 Rocky 205/65 R16 95H 205/60 R17 94H	CHAMPIRO ECOTEC
 Sigra 155/80 R13 79T 175/65 R14 82T	CHAMPIRO ECO
 Xenia 185/70 R14 88H	CHAMPIRO ECO-G



DONGFENG 

Size	Pattern
 SUCCE 205/60R16 92H	GitiComfort 221
 RUIQI 255/70R16 111T 245/70R16 111S XL	Giti4x4 AT70 Giti4x4 HT150
 CM7 225/55R17 101H	GitiComfort SUV520
 LINGZHI 215/65R15 100H	Giti WINGRO
 JOYEAR X5 215/60R17 96H	GitiComfort SUV520
 JOYEAR X3 215/65R16 102H	GitiComfort SUV520
 JOYEAR XV 215/65R16 102H	GitiComfort SUV520


ESEMKA 

Size	Pattern
 BIMA 1.2/1.3 175/65 R14C 6PR 90/88T	MAXMILER PRO


FIAT 

Size	Pattern
 Fiat500 S135/80R14 84M	SPARE TIRE
 Panda T125/80R15 95M	SPARE TIRE

FORD 

Size	Pattern
 EQUATOR SPORT 235/55R18 100V	GitiComfort F50









FOTON 

Size	Pattern
 TUOLUZHE 265/65R17 112T 265/70R16 112T	SAVERO HT PLUS

FOTON 

Size	Pattern
 FENGJING 195R15C LT 106/104R	GitiVan 600
 MPX E 205/70R15 100S	WINGRO
 MPX S 195/70R15C LT 104/101R	MAXWAY
 SAPU P245/70R16 107T	SAVERO HT PLUS
 MARS 7 265/70R18	GitiXross HT71
 MARS 9 265/70R18	Giti 4X4 AT71

GAC 

Size	Pattern
 Trumpchi M6 215/55R17 94H	GitiComfort F22
 Trumpchi GS3 215/55R18 95H	GitiComfort F50
 Trumpchi GS4 225/60R17 99H	GitiComfort F50
 Trumpchi GS5 235/50R19 99V	GitiComfort F50
 Trumpchi GA4 205/55R16 91V	GitiComfort F22
 EMPOW 225/60R18 235/50R19 225.50R17 94V	GitiComfort F50 GitiComfort F50+ GitiComfort 225V1
 EMPOW HYBRID 225/45R18	GitiComfort F22
 CS4 225/60R17	GitiControl P10 GitiComfort F50


GAC 

Size	Pattern
 CS3 215/55R18	GitiComfort F50
 M6 215/55R17 94H	GitiComfort F22
 EMKOO 235/55R19 101V	GitiComfort 225V1




GEELY 

Size	Pattern
 EMGRAND GS 225/45R18 95V 225/50R17 94V 205/60R16	GitComfort 228v1 GitiComfort 228v1
 EMGRAND EV 205/50R17 93W	GitiComfort 228v1
 GC9 245/45ZR18 100W 215/55R17 94V	GitiControl 280v1 GitiComfort 228v1
 NL3 225/65R17 102H 225/60R18 100H	GitiComfort SUV520 GitiComfort F50
 KX11 235/55R18	GitiComfort F50
 VX11 235/50R19	GitiComfort F50+
 EMGRAND EC8 215/55R17 94V 215/60R16 95V	GitiComfort 228
 EMGRAND EC7 215/55R16 93V 205/55R16 91V 205/65R15 94H	GitiComfort 228V1 GitiComfort 228
 GX7 225/60R17 99H 225/65R17 102H	GitiComfort SUV520
 SC 195/60R15 88H	GitiComfort 228
 VISION 205/55R16 91V	GitiComfort 228v1
 VISION S1 215/50R17 91V	GitiComfort 228v1


GEELY 

Size	Pattern
 EMGRAND GL 205/55R16 91V 205/50R17 93W	GitiComfort 228 V1
 NL-4AB 225/65R17 102H 225/60R18 100H	GitiComfort SUV 520 GitiComfort F50
 FY11/NL-5 235/55R18	GitiComfort F50
 VF11 215/60R17 96H 225/55R17 97V 235/50R18 97V	GitiComfort F50 GitiComfort 228V1 GitiComfort F22
 VF12 225/60R17 99H 225/55R18 98V	GitiComfort 225 GitiComfort F22
 FS11 215/60R16 215/55R17	GitiComfort F22
 SX11 215/60R17 215/55R18	GitiComfort SUV520 GitiComfort F50
 SS11 205/50R17 195/55R16	GitiComfort F22
 SX12 215/60R17	GitiComfort F50
 GE13 225/50R17 94V 225/45R18 95V	GitiComfort F22
 GE15 205/60R16	GitiComfort 228v1
 FE-6 205/55R16 91V	GitiComfort 280V1
 FE-3MA 195/65R15 91H	Giti Taxi 900
 MPC-CN6 225/55R18	GitiComfort 225V1
 XINRUI/PREF-ACE 215/55R17	GitiComfort F22

GEELY 

Size	Pattern
 XINGYUE L 245/45R20	GitiComfort 225V1
 BOYUE COOL 225/55R18 98V	GitiComfort F50
 BOYUE L 245/45R20 103V	GitiComfort 225V1

GLEAGLE 

Size	Pattern
 PANDA 165/60R14 75H	WINGRO

GREAT WALL 

Size	Pattern
 ORA 215/50R18 96V XL	GitiComfort 225 V1
 FENGJUN EV P235/65R17 108T XL	SAVERO HT PLUS
 C30 185/65R15 88H	GitiComfort 228
 WINGLE 235/70R16 106T 215/75R15 100S	SAVERO HT PLUS Giti4x4 HT150
 SHANHAIPAO 265/60R18 114H XL	Giti4x4 HT71
 CHENGYONGPAO 265/60R18 114H XL	Giti4x4 HT71

HAIMA 

Size	Pattern
 S5 215/60R17 96H 215/65R16 102H	GitiComfort SUV520
 S8 225/60R18 100H 225/55R19 99H	GitiComfort 520V1

HAVAL

	Size	Pattern
H-DOG	235/60R19 107H XL	GitiComfort F50
X-DOG	225/60R18 100H	GitiComfort F50
	235/60R19 107H XL	
	235/65R18 106V	
XIAOLONG MAX	225/60R18 100H	GitiComfort F50
F5	235/60R18 103H	GitiComfort SUV520
H6 COUPE	225/65R17 102H	GitiComfort SUV520
H6	225/65R17 102H	GitiComfort SUV520
	235/60R18 103H	
H5	P235/65R17 104T	SAVERO HT PLUS
	235/65R18 106V	GitiComfort 520V1
H2	235/55R18 100V	GitiComfort SUV520
H1	205/60R16 92H	GitiComfort 221
M6	225/65R17 102H	GitiComfort SUV 520

HOZON

	Size	Pattern
Neta U5	225/60R18 100H	GitiComfort F50
NETA S	245/45R19	GitiControl P10 GMS

HINO

	Size	Pattern
BUS DUTRO	235/65 R16C 121/119R	MAXMILER PRO

HONDA

	Size	Pattern
MOBILIO	185/65 R15 88H	CHAMPIRO ECO
NEW JAZZ	175/65 R15 84T	CHAMPIRO ECO
HR-V	215/55 R17 94V	CHAMPIRO HPY
NEW JAZZ	175/65 R15 84T	CHAMPIRO ECO
MOBILIO	185/65 R15 88H	CHAMPIRO ECO

HYUNDAI

	Size	Pattern
VERNA	175/70R14 84T	GitiComfort 220

JETOUR

	Size	Pattern
DASHING	235/60R18 103H	GitiComfort F50

JAC

	Size	Pattern
IC5	215/55R17 94V	GitiComfort F22
IEV6E	165/65R14 79T	CHAMPIRO 128
IEV6E SPORT	185/65R15 88H	GitiComfort 221
IEV7L	185/60R15 84H	GitiComfort 221
IEV7S	205/55R16 94V XL	GitiComfort 221 v1

JAC

	Size	Pattern
IEVA50	205/50R17 93W XL	GitiComfort 225
A30	185/65R15 88H	GitiComfort 221
S2MINI	185/65R15 88H	GitiComfort 221
S3	205/55R16 94V XL	GitiComfort 221v1
S4	215/50R17 95V XL	GitiComfort F22
S5	225/55R18 98V	GitiComfort SUV 520
S7	235/60R18 103H	GitiComfort F50
M4	215/65R16 102H XL	GitiComfort 225
M5	225/60R17 99H	GitiComfort 225
M6	215/65R16 102H XL	GitiComfort 225
	235/50R18 101H	GitiComfort F22
SUNRAY	185/75R16LT 102/99R 8PR	GitiVan 600
E10X	165/65R14 79T	GitiComfort 220
E20X	205/55R16 94V	GitiComfort 221 v1
	205/50R17 93W XL	GitiComfort 225
EV3	205/55R16	GitiComfort F50
	205/50R17	GitiComfort 225V1

ISUZU

	Size	Pattern
BUS ELF	225/75 R16C 118/116R	MAXMILER PRO
TRAGA	195 R14C 8PR 106/104R	MAXMILER PRO
GANK	245/70R16	Giti 4x4 HT150
	255/65R17	SAVERO HT PLUS
SUZUTO	255/65R17	SAVERO HT PLUS
MU-X	255/60R18	Giti 4X4 HT152
NEW-LINGTUO	255/65R17 110S	SAVERO HT PLUS

JMC

	Size	Pattern
YUE HU 7	P265/70R16 112T	SAVERO HT
	245/70R17 110T	Giti4x4 HT152

KIA

	Size	Pattern
BIG UP	195 R14 106/104R	Maxmiler CX

KING KONG

	Size	Pattern
Bus Elf	185/60R15 84H	GitiComfort 221
		CHAMPIRO 128
CROSS	195/55R16 91H	GitiComfort 228
CK	175/65R14	WINGRO

LUXGEN

	Size	Pattern
U6	215/55R17 94W	GitiControl 280v1

LYNK&CO

	Size	Pattern
06	215/60R17	GitiComfort F50
	215/55R18	
03	205/60R16	GitiComfort 228V1

MAXUS

	Size	Pattern
领地	265/60R18 110H	Giti 4x4 AT70
G20	225/55R18	GitiComfort 225v1
G50	215/55R17 98V	GitiComfort 228v1
T60	245/70R16	Giti 4x4 AT70
T90	245/65R17 111H	Giti 4x4 HT152
	265/60R18 110H	
	265/60R18 114T	Giti 4x4 AT70
V90	215/75R16LT	GitiVan 600V1

MAZDA

	Size	Pattern
VX1	185/65 R15 88H	CHAMPIRO ECO

MITSUBISHI

	Size	Pattern
FE71	225/75 R16 10PR	MAXMILER PRO

NISSAN

	Size	Pattern
DATSUN GO	155/70 R13 75T	CHAMPIRO ECO
DATSUN GO+ PANCA	155/70 R13 75T	CHAMPIRO ECO
D22	215/75R15 LT 100/97S	GitiVan 600

PEUGEOT

	Size	Pattern
301	195/55R16 87H	GitiComfort 221
	185/65R15 88H	
408	215/50R17	GitiComfort 228v1
NEW 2008	215/60R17	GitiComfort F50
	215/55R18	

PROTON

	Size	Pattern
SAGA	185/60 R14	CHAMPIRO ECO
EXORA	205/55 ZR16 91W	CHAMPIRO HPY
X70	225/65 R17 102H	SAVERO SUV
	225/60 R18 100H	

SAIC

	Size	Pattern
MG GS/ROEWE RX5	215/60R17 96H	GitiComfort SUV520
MG3	185/70R14 88H	Champro 728
	185/65R15 88H	GitiComfort 228
	195/55R16 91H	
V70	215/65R16C 109/107T	GitiVan 600B
	215/65R16LT 113/110T	
	235/60R17LT 112/109T	




RENAULT



	Size	Pattern
DOKKER 	185/65 R15 88T	GitiSynergy E1
LOGAN 	185/65R15 88H	CHAMPIRO VP1
	185/65 R15 88H	GitiSynergy E1
	195/55 R16 87H	GitiSynergy E1
SANDERO 	205/60 R16 92H	GitiSynergy E1
	185/65R15 88H	CHAMPIRO VP1
	185/65 R15 88H	GitiSynergy E1
STEPWAY 	205/60 R16 92H	GitiSynergy E2
	205/60 R16 92H	GitiSynergy E1
DUSTER 	215/65 R16 98H	GitiPremium SUV PX1

SEAT



	Size	Pattern
IBIZA 	185/70R14 88H	GitiSynergy E1
ATECA PA 	225/55R17 97V	GitiSynergy H2
ARONA 	205/60R16 92H	GitiSynergy E1

SGMW



	Size	Pattern
CONFERO S 	195/60 R15 92H XL	CHAMPIRO ECO
FORMO 	195/60 R15 92H XL	CHAMPIRO ECO
ALMAZ 	215/60 R17 96H	SAVERO SUV
ALMAZ RS 	215/60 R17 96H	SAVERO SUV

SKODA



	Size	Pattern
FABIA 	185/70 R14 88H	GitiSynergy E1
KAROQ 	215/60R16 95V	GitiPremium SUV PX1
KAROQ PA 	225/55R17 97V	GitiSynergy H2
OCTAVIA 	195/65R15 91H	Comfort 221v1
	205/55R16 91V	Comfort 221v1
SUPURB NF 	195/60R16 89H	Comfort 228v1
THARU/YETI 	T125/70R18 99M	SPARE TIRE
SK A+ 	T145/85 R18 103M	SPARE TIRE


SOUFAST



	Size	Pattern
LANCER 	195/55R15 85V	GitiComfort 228
V3 	185/60R15 84H	GitiComfort 221
	185/65R14 86H	WINGRO
DX3 	215/55R18 95V	GitiComfort 520V1
DX5 	235/55R18 100V	GitiComfort 520V1

SHENLAN



	Size	Pattern
S7 	235/55R19	GitiControl P10




SOKONINDO



	Size	Pattern
SUPER CAB 	185 R14 102/100R	MAXMILER PRO
	195 R14C 8PR 106/104R	MAXMILER PRO
GLORY 580 	225/60 R17 99H	SAVERO SUV
GLORY I-AUTO 	225/55 R18 98V	SAVERO SUV
GLORY 560 	215/60 R17 96H	SAVERO SUV


SUZUKI



	Size	Pattern
CARRY PU 	185 R14 102/100R	MAXMILER PRO
WAGON R 	145/80 R13 75T	CHAMPIRO ECO
WAGON R GS 	175/65 R14 82T	CHAMPIRO ECO

SMART



	Size	Pattern
SMART1# 	235/50R18	GitiControl P10





TOYOTA



	Size	Pattern
AVANZA 	185/70 R14 88H	CHAMPIRO ECO-G
AGYA 	175/65 R14 82T	CHAMPIRO ECO
CALYA 	175/65 R14 82T	CHAMPIRO ECO
NEW RUSH 	215/65 R16 98S	SAVERO SUV
KIJANG INOVA 	205/65 R16 95H	CHAMPIRO LUXE
RAIZE 	205/65 R16 95H	CHAMPIRO ECOTEC
	205/60 R17 94H	CHAMPIRO ECOTEC
















VOLKSWAGEN



	Size	Pattern
CADDY 5 	205/65R15 99H XL	GitiSynergy H2
	205/60R16 96H XL	
	215/55R17 98H XL	
T-CROSS 	205/60R16 92H	GitiSynergy E1
	205/55R16 91H	SPARE TIRE
THARU 	225/55R17	GitiComfort F22
POLO PLUS 	185/65R15 88T	GitiComfort F22



VOLKSWAGEN



	Size	Pattern
TOURAN NF 	195/60R16 89H	Comfort 228v1
NCS GP 	205/55R16 91V	GitiComfort 221v1
NCS NF 	T125/70R18 99M	SPARE TIRE
LAVIDA 	T125/70R16 96M	SPARE TIRE
NEW LAVIDA 	195/65R15 91H	GitiComfort F22
	205/55R16 91H	
	225/45R17 91H	
CRAFTER 	205/70R17C 115/113R 10PR	GitiVan HD1
	205/75 R16 113/111R	
	235/65 R16C 115/113R	
Atlas 	T165/80R17 104M	SPARE TIRE
Tiguan 	235/55R18 100H	GitiComfort XA1
SANTANA 	185/60R15 84T	GitiComfort 228
	175/70R14 84T	GitiComfort 220v1
JETTA 	185/60R15 84T	GitiComfort 228
	175/70R14 84T	GitiComfort 220v1
PASSAT 	235/45 R18 94H	GitiComfort A1
	235/40 R19 92H	
POLO NF 	195/55R16 91V XL	GitiSynergy E1
T-ROC 	215/60R16 95V	GitiPremium SUV PX1
	T125/70R18 99M	SPARE TIRE
GOLF 7 	195/65R15 91H	Comfort 221v1
	205/55R16 91V	
BORA NF 	205/55R16 91H	GitiSynergy E1



WEY



	Size	Pattern
WEY VV7 	255/45R21 102H	GitiComfort 520V1
WEY P8 	255/45R21 102H	GitiComfort 520V1

YUDO



	Size	Pattern
1 T 	205/60R16 92V	GitiComfort 225
3 T 	215/50R17 91V	GitiComfort 225



www.giti.com